

24
JUL-26-2006 02:59

P. 01/08



2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213

T 202.293.7060
F 202.293.7860

www.sughrue.com

FAX

Date July 26, 2006

To Examiner Ann Singleton

Of PTO Group Art Unit 1743

Fax 571-273-1049

From Chid S. Iyer

Subject U.S. Patent Application No. 10/056,022

Our Ref Q68273 Appln No 10/056,022

Conf No 2604 Inventors Koji UCHIMURA

Pages 8 (including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

This fax filing includes:

1. This cover sheet
2. Amendment Under 37 C.F.R. § 1.116 dated July 24, 2006.

CERTIFICATION OF FACSIMILE TRANSMISSION

Sir,

I hereby certify that the above identified correspondence is being facsimile transmitted to Examiner Ann Singleton at the Patent and Trademark Office on July 26, 2006 at 571-273-1049.

Respectfully submitted,

Chid S. Iyer

AMENDMENT UNDER 37 C.F.R. § 1.116
EXPEDITED PROCEDURE
GROUP 1743
PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q68273

Koji UCHIMURA

Appln. No.: 10/056,022

Group Art Unit: 1743

Confirmation No.: 2604

Examiner: Samuel P. Siefke

Filed: January 28, 2002

For: CELL FOR ANALYZING FLUID AND ANALYZING APPARATUS USING THE
SAME

AMENDMENT UNDER 37 C.F.R. § 1.116

MAIL STOP AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated March 23, 2006, please amend the above-
identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS.....	2
REMARKS.....	4